

Akiyama, H. (2000). Inflammation and Alzheimer's disease. *Neurobiology of Aging*, 21(3), 383–421.

[https://doi.org/10.1016/s0197-4580\(00\)00124-x](https://doi.org/10.1016/s0197-4580(00)00124-x)

Alvarez, J., Alvarez-Illera, P., Santo-Domingo, J., Fonteriz, R. I., & Montero, M. (2022). Modeling Alzheimer's disease in *Caenorhabditis elegans*. *Biomedicines*, 10(2), 288.

<https://doi.org/10.3390/biomedicines10020288>

Ashrafian, H., Zadeh, E. H., & Khan, R. H. (2021). Review on Alzheimer's disease: Inhibition of amyloid beta and tau tangle formation. *International Journal of Biological Macromolecules*, 167, 382–394.

<https://doi.org/10.1016/j.ijbiomac.2020.11.192>

Ballester, P., Cerdá, B., Arcusa, R., Marhuenda, J., Yamedjeu, K., & Zafrilla, P. (2022). Effect of ginger on inflammatory diseases. *Molecules (Basel, Switzerland)*, 27(21), 7223.

<https://doi.org/10.3390/molecules27217223>

Bloom, G. S. (2014). Amyloid- β and tau: The trigger and bullet in Alzheimer disease pathogenesis. *JAMA Neurology*, 71(4), 505. <https://doi.org/10.1001/jamaneurol.2013.5847>

Butreddy, A., Kommineni, N., & Dudhipala, N. (2021). Exosomes as naturally occurring vehicles for delivery of biopharmaceuticals: Insights from drug delivery to clinical perspectives. *Nanomaterials (Basel, Switzerland)*, 11(6), 1481. <https://doi.org/10.3390/nano11061481>

Caccamo, A., Branca, C., Piras, I. S., Ferreira, E., Huentelman, M. J., Liang, W. S., Readhead, B., Dudley, J. T., Spangenberg, E. E., Green, K. N., Belfiore, R., Winslow, W., & Oddo, S. (2017). Necroptosis activation in Alzheimer's disease. *Nature Neuroscience*, 20(9), 1236–1246. <https://doi.org/10.1038/nn.4608>

Chagas, A. M., Godino, L. P., Arrenberg, A. B., & Baden, T. (2017). The 100 € lab: A 3-D printable open source platform for fluorescence microscopy, optogenetics and accurate temperature control during behaviour of zebrafish, *Drosophila* and *C. elegans*. *bioRxiv*. <https://doi.org/10.1101/122812>

- Chen, X., He, L., Chen, Y., Zheng, G., Su, Y., Chen, Y., Zheng, D., & Lu, Y. (2024). Evaluating stability and bioactivity of Rehmannia-derived nanovesicles during storage. *Scientific Reports*, *14*(1), 1–10. <https://doi.org/10.1038/s41598-024-70334-5>
- Chen, Y., & Yu, Y. (2023). Tau and neuroinflammation in Alzheimer's disease: interplay mechanisms and clinical translation. *Journal of Neuroinflammation*, *20*(1). <https://doi.org/10.1186/s12974-023-02853-3>
- Congdon, E. E., Ji, C., Tetlow, A. M., Jiang, Y., & Sigurdsson, E. M. (2023). Tau-targeting therapies for Alzheimer disease: current status and future directions. *Nature Reviews. Neurology*, *19*(12), 715–736. <https://doi.org/10.1038/s41582-023-00883-2>
- DeVos, S. L., Miller, R. L., Schoch, K. M., Holmes, B. B., Kebodeaux, C. S., Wegener, A. J., Chen, G., Shen, T., Tran, H., Nichols, B., Zanardi, T. A., Kordasiewicz, H. B., Swayze, E. E., Bennett, C. F., Diamond, M. I., & Miller, T. M. (2017). Tau reduction prevents neuronal loss and reverses pathological tau deposition and seeding in mice with tauopathy. *Science Translational Medicine*, *9*(374). <https://doi.org/10.1126/scitranslmed.aag0481>
- Fatouros, C., Pir, G. J., Biernat, J., Koushika, S. P., Mandelkow, E., Mandelkow, E.-M., Schmidt, E., & Baumeister, R. (2012). Inhibition of tau aggregation in a novel *Caenorhabditis elegans* model of tauopathy mitigates proteotoxicity. *Human Molecular Genetics*, *21*(16), 3587–3603. <https://doi.org/10.1093/hmg/dds190>
- Goedert, M. (1996). Tau protein and the neurofibrillary pathology of Alzheimer's disease. *Annals of the New York Academy of Sciences*, *777*(1), 121–131. <https://doi.org/10.1111/j.1749-6632.1996.tb34410.x>
- Goedert, M. (2004). Tau protein and neurodegeneration. *Seminars in Cell & Developmental Biology*, *15*(1), 45–49. <https://doi.org/10.1016/j.semcdb.2003.12.015>
- Guha, S., Fischer, S., Cheng, A., Johnson, G. V. W., & Nehrke, K. (2020). A T231E Mutant that Mimics Pathologic Phosphorylation of Tau in Alzheimer's disease Causes Activation of the Mitochondrial

Unfolded Protein Response in *C. elegans* touch neurons. *microPublication Biology*, 2020.

<https://doi.org/10.17912/micropub.biology.000306>

Holtzman, D. M., Carrillo, M. C., Hendrix, J. A., Bain, L. J., Catafau, A. M., Gault, L. M., Goedert, M., Mandelkow, E., Mandelkow, E.-M., Miller, D. S., Ostrowitzki, S., Polydoro, M., Smith, S., Wittmann, M., & Hutton, M. (2016). Tau: From research to clinical development. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 12(10), 1033–1039. <https://doi.org/10.1016/j.jalz.2016.03.018>

Huang, A. V. (2009). *Computational studies of tau protein : implications for the pathogenesis and treatment of neurodegenerative diseases* [Massachusetts Institute of Technology].

<https://dspace.mit.edu/handle/1721.1/54453?show=full>

Jie, C., Treyer, V., Schibli, R., & Mu, L. (2021). Tauvid™: The first FDA-approved PET tracer for imaging tau pathology in Alzheimer's disease. *Pharmaceuticals (Basel, Switzerland)*, 14(2), 110.

<https://doi.org/10.3390/ph14020110>

Konietzka, J., Fritz, M., Spiri, S., McWhirter, R., Leha, A., Palumbos, S., Costa, W. S., Oranth, A., Gottschalk, A., Miller, D. M., III, Hajnal, A., & Bringmann, H. (2019). Epidermal Growth Factor signaling acts directly and through a sedation neuron to depolarizes a sleep-active neuron following cellular stress. In *bioRxiv* (p. 656512). <https://doi.org/10.1101/656512>

Lahiri, D. K., Maloney, B., Rogers, J. T., & Ge, Y.-W. (2013). PuF, an antimetastatic and developmental signaling protein, interacts with the Alzheimer's amyloid- β precursor protein via a tissue-specific proximal regulatory element (PRE). *BMC Genomics*, 14(1), 68. <https://doi.org/10.1186/1471-2164-14-68>

Liu, Y., Wu, S., Koo, Y., Yang, A., Dai, Y., Khant, H., Osman, S. R., Chowdhury, M., Wei, H., Li, Y., Court, K., Hwang, E., Wen, Y., Dasari, S. K., Nguyen, M., Tang, E. C.-C., Chehab, E. W., de Val, N., Braam, J., & Sood, A. K. (2020). Characterization of and isolation methods for plant leaf nanovesicles and small extracellular vesicles. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 29(102271), 102271.

<https://doi.org/10.1016/j.nano.2020.102271>

- Maccioni, R. B., Rojo, L. E., Fernández, J. A., & Kuljis, R. O. (2009). The role of neuroimmunomodulation in Alzheimer's disease. *Annals of the New York Academy of Sciences*, 1153(1), 240–246.
<https://doi.org/10.1111/j.1749-6632.2008.03972.x>
- Marban, E., & Grigorian, L. (2023). *Cardiosphere-derived cells and their extracellular vesicles for treatment and prevention of cancer* (Patent No. 3661526:B1). European Patent Office.
<https://patents.google.com/patent/WO2019028223A1/en>.
- Matin, M., Joshi, T., Wang, D., Tzvetkov, N. T., Matin, F. B., Wierzbicka, A., Jóźwik, A., Horbańczuk, J. O., & Atanasov, A. G. (2024). Effects of Ginger (*Zingiber officinale*) on the Hallmarks of Aging. *Biomolecules*, 14(8), 940. <https://doi.org/10.3390/biom14080940>
- Novo, C. L., Wong, E. V., Hockings, C., Poudel, C., Sheekey, E., Wiese, M., Okkenhaug, H., Boulton, S. J., Basu, S., Walker, S., Kaminski Schierle, G. S., Narlikar, G. J., & Rugg-Gunn, P. J. (2022). Satellite repeat transcripts modulate heterochromatin condensates and safeguard chromosome stability in mouse embryonic stem cells. *Nature Communications*, 13(1), 1–16. <https://doi.org/10.1038/s41467-022-31198-3>
- Park, H.-E. H., Jung, Y., & Lee, S.-J. V. (2017). Survival assays using *Caenorhabditis elegans*. *Molecules and Cells*, 40(2), 90–99. <https://doi.org/10.14348/molcells.2017.0017>
- Rajan, K. B., Weuve, J., Barnes, L. L., McAninch, E. A., Wilson, R. S., & Evans, D. A. (2021). Population estimate of people with clinical Alzheimer's disease and mild cognitive impairment in the United States (2020-2060). *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 17(12), 1966–1975. <https://doi.org/10.1002/alz.12362>
- Roussos, A., Kitopoulou, K., Borbolis, F., & Palikaras, K. (2023). *Caenorhabditis elegans* as a model system to study human neurodegenerative disorders. *Biomolecules*, 13(3), 478.
<https://doi.org/10.3390/biom13030478>

Ruszkiewicz, J. A., Pinkas, A., Miah, M. R., Weitz, R. L., Lawes, M. J. A., Akinyemi, A. J., Ijomone, O. M., & Aschner, M. (2018). *C. elegans* as a model in developmental neurotoxicology. *Toxicology and Applied Pharmacology*, 354, 126–135. <https://doi.org/10.1016/j.taap.2018.03.016>

SantaCruz, K., Lewis, J., Spires, T., Paulson, J., Kotilinek, L., Ingelsson, M., Guimaraes, A., DeTure, M., Ramsden, M., McGowan, E., Forster, C., Yue, M., Orne, J., Janus, C., Mariash, A., Kuskowski, M., Hyman, B., Hutton, M., & Ashe, K. H. (2005). Tau suppression in a neurodegenerative mouse model improves memory function. *Science (New York, N.Y.)*, 309(5733), 476–481. <https://doi.org/10.1126/science.1113694>

Sapan, C. V., Lundblad, R. L., & Price, N. C. (1999). Colorimetric protein assay techniques. *Biotechnology and Applied Biochemistry*, 29(2), 99–108.

Seidler, P. M., Boyer, D. R., Rodriguez, J. A., Sawaya, M. R., Cascio, D., Murray, K., Gonen, T., & Eisenberg, D. S. (2018). Structure-based inhibitors of tau aggregation. *Nature Chemistry*, 10(2), 170–176. <https://doi.org/10.1038/nchem.2889>

Sinner, M., Masurat, F., Ewbank, J., Pujol, N., & Bringmann, H. (2020, January 1). *Antimicrobial peptides signal need for sleep from peripheral wounds to the nervous system*. bioRxiv. <https://doi.org/10.1101/2020.07.02.183806>

NC3Rs. (n.d.). *The 3Rs*. [Nc3rs.org.uk](https://nc3rs.org.uk). <https://nc3rs.org.uk/who-we-are/3rs>

Thorpe, Kenneth E., Levey, Allan I., & Thomas, Jacob. *Chair, Partnership to Fight Chronic Disease*. 2021.

Virk, B., Jia, J., Maynard, C. A., Raimundo, A., Lefebvre, J., Richards, S. A., Chetina, N., Liang, Y., Helliwell, N., Cipinska, M., & Weinkove, D. (2016). Folate Acts in *E. coli* to Accelerate *C. elegans* Aging Independently of Bacterial Biosynthesis. *Cell Reports*, 14(7), 1611–1620. <https://doi.org/10.1016/j.celrep.2016.01.051>

- Wang, P., Guan, P.-P., Wang, T., Yu, X., Guo, J.-J., & Wang, Z.-Y. (2014). Aggravation of Alzheimer's disease due to the COX-2-mediated reciprocal regulation of IL-1 β and A β between glial and neuron cells. *Aging Cell*, 13(4), 605–615. <https://doi.org/10.1111/acer.12209>
- Wood, J. G., Mirra, S. S., Pollock, N. J., & Binder, L. I. (1986). Neurofibrillary tangles of Alzheimer disease share antigenic determinants with the axonal microtubule-associated protein tau (tau). *Proceedings of the National Academy of Sciences of the United States of America*, 83(11), 4040–4043. <https://doi.org/10.1073/pnas.83.11.4040>
- Xu, H., Rosler, T., Carlsson, T., Andrade, A., Fiala, O., Hollerhage, M., Oertel, W., Goedert, M., Aigner, A., & Hoglinger, G. (2014). Tau silencing by siRNA in the P301S mouse model of tauopathy. *Current Gene Therapy*, 14(5), 343–351. <https://doi.org/10.2174/156652321405140926160602>
- Yin, T., Liu, Y., Ji, W., Zhuang, J., Chen, X., Gong, B., Chu, J., Liang, W., Gao, J., & Yin, Y. (2023). Engineered mesenchymal stem cell-derived extracellular vesicles: A state-of-the-art multifunctional weapon against Alzheimer's disease. *Theranostics*, 13(4), 1264–1285. <https://doi.org/10.7150/thno.81860>
- Yu, L., Deng, Z., Liu, L., Zhang, W., & Wang, C. (2020). Plant-derived nanovesicles: A novel form of nanomedicine. *Frontiers in Bioengineering and Biotechnology*, 8. <https://doi.org/10.3389/fbioe.2020.584391>