

References

- Alam, A., Bröms, J. E., Kumar, R., & Sjöstedt, A. (2021). The Role of ClpB in Bacterial Stress Responses and Virulence. *Frontiers in Molecular Biosciences*, *8*.
<https://www.frontiersin.org/article/10.3389/fmolb.2021.668910>
- Baetz, A. L., & Allison, M. J. (1990). Purification and characterization of formyl-coenzyme A transferase from *Oxalobacter formigenes*. *Journal of Bacteriology*, *172*(7), 3537–3540.
<https://doi.org/10.1128/jb.172.7.3537-3540.1990>
- Belda, E., Moya, A., Bentley, S., & Silva, F. J. (2010). Mobile genetic element proliferation and gene inactivation impact over the genome structure and metabolic capabilities of *Sodalis glossinidius*, the secondary endosymbiont of tsetse flies. *BMC Genomics*, *11*(1), 449. <https://doi.org/10.1186/1471-2164-11-449>
- Berks, B. C., Palmer, T., & Sargent, F. (2003). The Tat protein translocation pathway and its role in microbial physiology. *Advances in Microbial Physiology*, *47*, 187–254.
[https://doi.org/10.1016/s0065-2911\(03\)47004-5](https://doi.org/10.1016/s0065-2911(03)47004-5)
- Berks, B. C., Sargent, F., & Palmer, T. (2000). The Tat protein export pathway. *Molecular Microbiology*, *35*(2), 260–274. <https://doi.org/10.1046/j.1365-2958.2000.01719.x>
- Calhoun, L. N., & Kwon, Y. M. (2011). Structure, function and regulation of the DNA-binding protein Dps and its role in acid and oxidative stress resistance in *Escherichia coli*: A review. *Journal of Applied Microbiology*, *110*(2), 375–386.
<https://doi.org/10.1111/j.1365-2672.2010.04890.x>
- Capitani, G., De Biase, D., Aurizi, C., Gut, H., Bossa, F., & Grütter, M. G. (2003a). Crystal structure and functional analysis of *Escherichia coli* glutamate decarboxylase. *The EMBO Journal*, *22*(16), 4027–4037. <https://doi.org/10.1093/emboj/cdg403>

- Capitani, G., De Biase, D., Aurizi, C., Gut, H., Bossa, F., & Grütter, M. G. (2003b). Crystal structure and functional analysis of Escherichia coli glutamate decarboxylase. *The EMBO Journal*, 22(16), 4027–4037. <https://doi.org/10.1093/emboj/cdg403>
- Chattopadhyay, M. K., Chen, W., & Tabor, H. (2013). Escherichia coli glutathionylspermidine synthetase/amidase: Phylogeny and effect on regulation of gene expression. *FEMS Microbiology Letters*, 338(2), 10.1111/1574-6968.12035. <https://doi.org/10.1111/1574-6968.12035>
- Chenoweth, M. R., & Wickner, S. (2008). Complex regulation of the DnaJ homolog CbpA by the global regulators sigmaS and Lrp, by the specific inhibitor CbpM, and by the proteolytic degradation of CbpM. *Journal of Bacteriology*, 190(15), 5153–5161. <https://doi.org/10.1128/JB.00437-08>
- Chintakayala, K., Sellars, L. E., Singh, S. S., Shahapure, R., Westerlaken, I., Meyer, A. S., Dame, R. T., & Grainger, D. C. (2015). DNA recognition by Escherichia coli CbpA protein requires a conserved arginine-minor-groove interaction. *Nucleic Acids Research*, 43(4), 2282–2292. <https://doi.org/10.1093/nar/gkv012>
- Cristalli, G., Costanzi, S., Lambertucci, C., Lupidi, G., Vittori, S., Volpini, R., & Camaioni, E. (2001). Adenosine deaminase: Functional implications and different classes of inhibitors. *Medicinal Research Reviews*, 21(2), 105–128. [https://doi.org/10.1002/1098-1128\(200103\)21:2<105::AID-MED1002>3.0.CO;2-U](https://doi.org/10.1002/1098-1128(200103)21:2<105::AID-MED1002>3.0.CO;2-U)
- Derzelle, S., Turlin, E., Duchaud, E., Pages, S., Kunst, F., Givaudan, A., & Danchin, A. (2004a). The PhoP-PhoQ two-component regulatory system of Photobacterium luminescens is essential for virulence in insects. *Journal of Bacteriology*, 186(5), 1270–1279. <https://doi.org/10.1128/JB.186.5.1270-1279.2004>

- Derzelle, S., Turlin, E., Duchaud, E., Pages, S., Kunst, F., Givaudan, A., & Danchin, A. (2004b). The PhoP-PhoQ Two-Component Regulatory System of *Photobacterium luminescens* Is Essential for Virulence in Insects. *Journal of Bacteriology*. <https://doi.org/10.1128/JB.186.5.1270-1279.2004>
- Drazic, A., Gebendorfer, K. M., Mak, S., Steiner, A., Krause, M., Bepperling, A., & Winter, J. (2014). Tetramers are the activation-competent species of the HOCl-specific transcription factor HypT. *The Journal of Biological Chemistry*, 289(2), 977–986. <https://doi.org/10.1074/jbc.M113.521401>
- Gebendorfer, K. M., Drazic, A., Le, Y., Gundlach, J., Bepperling, A., Kastenmüller, A., Ganzinger, K. A., Braun, N., Franzmann, T. M., & Winter, J. (2012). Identification of a hypochlorite-specific transcription factor from *Escherichia coli*. *The Journal of Biological Chemistry*, 287(9), 6892–6903. <https://doi.org/10.1074/jbc.M111.287219>
- Hayes, E. T., Wilks, J. C., Sanfilippo, P., Yohannes, E., Tate, D. P., Jones, B. D., Radmacher, M. D., BonDurant, S. S., & Slonczewski, J. L. (2006). Oxygen limitation modulates pH regulation of catabolism and hydrogenases, multidrug transporters, and envelope composition in *Escherichia coli* K-12. *BMC Microbiology*, 6, 89. <https://doi.org/10.1186/1471-2180-6-89>
- Hersh, B. M., Farooq, F. T., Barstad, D. N., Blankenhorn, D. L., & Slonczewski, J. L. (1996). A glutamate-dependent acid resistance gene in *Escherichia coli*. *Journal of Bacteriology*, 178(13), 3978–3981. <https://doi.org/10.1128/jb.178.13.3978-3981.1996>
- Hommais, F., Krin, E., Coppée, J.-Y., Lacroix, C., Yeramian, E., Danchin, A., & Bertin, P. (2004). GadE (YhiE): A novel activator involved in the response to acid environment in

Escherichia coli. *Microbiology (Reading, England)*, 150(Pt 1), 61–72.

<https://doi.org/10.1099/mic.0.26659-0>

Jin, J., Zhang, B., Guo, H., Cui, J., Jiang, L., Song, S., Sun, M., & Ren, F. (2012). Mechanism Analysis of Acid Tolerance Response of *Bifidobacterium longum* subsp. *Longum* BBMN 68 by Gene Expression Profile Using RNA-Sequencing. *PLoS ONE*, 7(12), e50777.

<https://doi.org/10.1371/journal.pone.0050777>

Jin, Q., Yuan, Z., Xu, J., Wang, Y., Shen, Y., Lu, W., Wang, J., Liu, H., Yang, J., Yang, F., Zhang, X., Zhang, J., Yang, G., Wu, H., Qu, D., Dong, J., Sun, L., Xue, Y., Zhao, A., ... Yu, J. (2002). Genome sequence of *Shigella flexneri* 2a: Insights into pathogenicity through comparison with genomes of *Escherichia coli* K12 and O157. *Nucleic Acids Research*, 30(20), 4432–4441. <https://doi.org/10.1093/nar/gkf566>

Juárez-Rodríguez, M. D., Torres-Escobar, A., & Demuth, D. R. (2013). YgiW and qseBC are co-expressed in *Aggregatibacter actinomycetemcomitans* and regulate biofilm growth. *Microbiology*, 159(Pt 6), 989–1001. <https://doi.org/10.1099/mic.0.066183-0>

Kang, E., Crouse, A., Chevallier, L., Pontier, S. M., Alzahrani, A., Silué, N., Campbell-Valois, F. X., Montagutelli, X., Gruenheid, S., & Malo, D. (2018). Enterobacteria and host resistance to infection. *Mammalian genome: official journal of the International Mammalian Genome Society*, 29(7-8), 558–576.

<https://doi.org/10.1007/s00335-018-9749-4>

KEGG T00128: S2273. (n.d.). Retrieved February 5, 2022, from

<https://www.kegg.jp/entry/sfx:S2273>

Kim, M. S., Bae, S.-H., Yun, S. H., Lee, H. J., Ji, S. C., Lee, J. H., Srivastava, P., Lee, S.-H., Chae, H., Lee, Y., Choi, B.-S., Chatteraj, D. K., & Lim, H. M. (2005). Cnu, a Novel

oriC-Binding Protein of Escherichia coli. *Journal of Bacteriology*.

<https://doi.org/10.1128/JB.187.20.6998-7008.2005>

Kullin, B., Tannock, G. w., Loach, D. m., Kimura, K., Abratt, V. r., & Reid, S. j. (2014). A functional analysis of the formyl-coenzyme A (frc) gene from *Lactobacillus reuteri* 100-23C. *Journal of Applied Microbiology*, 116(6), 1657–1667.

<https://doi.org/10.1111/jam.12500>

León, Y., & Faherty, C. S. (2021). Bacteriophages against enteropathogens: Rediscovery and refinement of novel antimicrobial therapeutics. *Current Opinion in Infectious Diseases*, 34(5), 491–499. <https://doi.org/10.1097/QCO.0000000000000772>

Liu, C.-J., Lin, C.-T., Chiang, J.-D., Lin, C.-Y., Tay, Y.-X., Fan, L.-C., Peng, K.-N., Lin, C.-H., & Peng, H.-L. (2019). RcsB regulation of the YfdX-mediated acid stress response in *Klebsiella pneumoniae* CG43S3. *PloS One*, 14(2), e0212909.

<https://doi.org/10.1371/journal.pone.0212909>

Llanos-Chea, A., Citorik, R. J., Nickerson, K. P., Ingano, L., Serena, G., Senger, S., Lu, T. K., Fasano, A., & Faherty, C. S. (2019). Bacteriophage Therapy Testing Against *Shigella flexneri* in a Novel Human Intestinal Organoid-Derived Infection Model. *Journal of Pediatric Gastroenterology and Nutrition*, 68(4), 509–516.

<https://doi.org/10.1097/MPG.0000000000002203>

Maeda, T., Sanchez-Torres, V., & Wood, T. K. (2007). Escherichia coli hydrogenase 3 is a reversible enzyme possessing hydrogen uptake and synthesis activities. *Applied Microbiology and Biotechnology*, 76(5), 1035–1042.

<https://doi.org/10.1007/s00253-007-1086-6>

- Merrick, H., Ferrazzoli, A. E., & Lovett, S. T. (2009). Growth phase and (p)ppGpp control of IraD, a regulator of RpoS stability, in *Escherichia coli*. *Journal of Bacteriology*, *191*(24), 7436–7446. <https://doi.org/10.1128/JB.00412-09>
- Nakade, Y., Iwata, Y., Furuichi, K., Mita, M., Hamase, K., Konno, R., Miyake, T., Sakai, N., Kitajima, S., Toyama, T., Shinozaki, Y., Sagara, A., Miyagawa, T., Hara, A., Shimizu, M., Kamikawa, Y., Sato, K., Oshima, M., Yoneda-Nakagawa, S., ... Wada, T. (2018). Gut microbiota-derived D-serine protects against acute kidney injury. *JCI Insight*, *3*(20), 97957. <https://doi.org/10.1172/jci.insight.97957>
- Narayan, A., & Naganathan, A. N. (2018). Switching Protein Conformational Substates by Protonation and Mutation. *The Journal of Physical Chemistry. B*, *122*(49), 11039–11047. <https://doi.org/10.1021/acs.jpcc.8b05108>
- Nickerson, K.P., Chanin, R. B, Sistrunk, J. R., Rasko, D. A., Fink, P. J., Barry, E. M., Nataro, J. P., & Faherty, C. S. (2021). Analysis of *Shigella flexneri* Resistance, Biofilm Formation, and Transcriptional Profile in Response to Bile Salts. *Infection and Immunity*, *85*(6). Retrieved November 8, 2021, from <https://doi.org/10.1128/IAI.01067-16>
- Oglesby, A. G., Murphy, E. R., Iyer, V. R., & Payne, S. M. (2005). Fur regulates acid resistance in *Shigella flexneri* via RyhB and ydeP. *Molecular Microbiology*, *58*(5), 1354–1367. <https://doi.org/10.1111/j.1365-2958.2005.04920.x>
- Quigley E. M. (2013). Gut bacteria in health and disease. *Gastroenterology & hepatology*, *9*(9), 560–569.
- Russell, J. B., & Diez-Gonzalez, F. (1998). The effects of fermentation acids on bacterial growth. *Advances in Microbial Physiology*, *39*, 205–234. [https://doi.org/10.1016/s0065-2911\(08\)60017-x](https://doi.org/10.1016/s0065-2911(08)60017-x)

Santra, M., Farrell, D. W., & Dill, K. A. (2017). Bacterial proteostasis balances energy and chaperone utilization efficiently. *Proceedings of the National Academy of Sciences*, *114*(13), E2654–E2661. <https://doi.org/10.1073/pnas.1620646114>

Sass, T. H., Ferrazzoli, A. E., & Lovett, S. T. (2021). *DnaA and SspA Regulation of the iraD gene of E. coli: An alternative DNA damage response independent of LexA/RecA* (p. 2021.05.20.444958). bioRxiv. <https://doi.org/10.1101/2021.05.20.444958>

Schellhorn, H. E. (2020). Function, Evolution, and Composition of the RpoS Regulon in *Escherichia coli*. *Frontiers in Microbiology*, *11*.
<https://www.frontiersin.org/article/10.3389/fmicb.2020.560099>

Van den Bossche, A., Ceysens, P.-J., De Smet, J., Hendrix, H., Bellon, H., Leimer, N., Wagemans, J., Delattre, A.-S., Cenens, W., Aertsen, A., Landuyt, B., Minakhin, L., Severinov, K., Noben, J.-P., & Lavigne, R. (2014). Systematic identification of hypothetical bacteriophage proteins targeting key protein complexes of *Pseudomonas aeruginosa*. *Journal of Proteome Research*, *13*(10), 4446–4456.
<https://doi.org/10.1021/pr500796n>