

Radioactive Contamination

In an article taken from the Journal of Environmental Health, May-June 1965, Volume 27, Number 6, pages 883-897, author Robert Fadely explains that the Atomic Energy Plant in Hanford, Washington has been a plutonium production facility since the Second World War. Some of the waste have been stored underground in the same area. Radioactive waste has been seeping into the Columbia River, and eight Oregon counties and the city of Portland have been exposed to radioactive contamination. The table below lists the number of cancer deaths per 100,000 residents for Portland and these counties. The table also includes an index of exposure that measures the proximity of the residents to the contamination. The index is based on the assumption that city or county exposure is directly proportional to river frontage and inversely proportional both to the distance from Hanford, WA site and to the square of the county's or city's average distance from the river.

Data Table

```
In[168]:= index = {2.5, 2.6, 3.4, 1.3, 1.6, 3.8, 11.6, 6.4, 8.3};
```

```
In[169]:= deaths = {147, 130, 130, 114, 138, 162, 208, 178, 210};
```

```
In[170]:= lista = Transpose[{index, deaths}];
```

```
In[171]:= Text[Grid[Prepend[lista, {"index", "deaths"}],
  Alignment -> Center, Dividers -> {2 -> True, 2 -> True}, Spacings -> {1, 1}]]
```

| index | deaths |
|-------|--------|
| 2.5 | 147 |
| 2.6 | 130 |
| 3.4 | 130 |
| 1.3 | 114 |
| 1.6 | 138 |
| 3.8 | 162 |
| 11.6 | 208 |
| 6.4 | 178 |
| 8.3 | 210 |

```
In[172]:= points = Prepend[{deaths}, index];
```


```
In[173]:= points1 = Transpose[points];
```

```
In[174]:= points2 = Sort[points1]
```

```
Out[174]:= {{1.3, 114}, {1.6, 138}, {2.5, 147}, {2.6, 130},
  {3.4, 130}, {3.8, 162}, {6.4, 178}, {8.3, 210}, {11.6, 208}}
```

Data Graph

```
In[175]:= plota = ListPlot[lista, AxesLabel -> {"index", "deaths"}, ImageSize -> Large,  
          PlotStyle -> {Blue, Point}, AxesOrigin -> {0, 0}, PlotLabel -> "Hanford, WA", LabelStyle -> Gray]
```



Two Point Line

```
In[176]:= tpLine[x_] := 
$$\frac{\text{lista}[[9]][[2]] - \text{lista}[[4]][[2]]}{\text{lista}[[9]][[1]] - \text{lista}[[4]][[1]]} (x - \text{lista}[[9]][[1]]) + \text{lista}[[9]][[2]]$$


```

```
In[177]:= tpLine[x]
```

```
Out[177]= 210 + 13.7143 (-8.3 + x)
```

```
In[244]:= tpPlot = Plot[tpLine[x], {x, 0, 15}, PlotStyle -> Blue, PlotRange -> {50, 240},  
          PlotLabel -> "Two Point Line Plot", LabelStyle -> Gray, ImageSize -> Large];
```

In[245]= Show[tpPlot, plota]



Two Point Line Residuals Plot


```
In[180]= oneRes = {points2[[1]][[2]] - tpLine[points2[[1]][[1]]],
  points2[[2]][[2]] - tpLine[points2[[2]][[1]]],
  points2[[3]][[2]] - tpLine[points2[[3]][[1]]],
  points2[[4]][[2]] - tpLine[points2[[4]][[1]]],
  points2[[5]][[2]] - tpLine[points2[[5]][[1]]],
  points2[[6]][[2]] - tpLine[points2[[6]][[1]]],
  points2[[7]][[2]] - tpLine[points2[[7]][[1]]],
  points2[[8]][[2]] - tpLine[points2[[8]][[1]]],
  points2[[9]][[2]] - tpLine[points2[[9]][[1]]]}
```

Out[180]= {0., 19.8857, 16.5429, -1.82857, -12.8, 13.7143, -5.94286, 0., -47.2571}

```
In[181]= index1 = Sort[index];
```

```
In[182]= tplist = Transpose[{index1, oneRes}];
```

```
In[247]:= tpRes = ListPlot[tpList, PlotStyle -> Blue, PlotRange -> {-50, 20},
  PlotLabel -> "Two Point Line Residuals", LabelStyle -> Gray, ImageSize -> Large]
```



```
In[184]:= Total[oneRes]
```

```
Out[184]= -17.6857
```

Median-Median Line

Summary Points

```
In[185]:= sect1 = points2[{{1, 2, 3}}];
```

```
In[186]:= med1 = Median[sect1]
```

```
Out[186]= {1.6, 138}
```

```
In[187]:= sect2 = points2[{{4, 5, 6}}];
```

```
In[188]:= med2 = Median[sect2]
```

```
Out[188]= {3.4, 130}
```

```
In[189]:= sect3 = points2[{{7, 8, 9}}];
```

```
In[190]:= med3 = Median[sect3]
```

```
Out[190]= {8.3, 208}
```

Median-Median Line

Method 1:

```
In[191]:= medLine1[x_] := 
$$\frac{\text{med3}[[2]] - \text{med1}[[2]]}{\text{med3}[[1]] - \text{med1}[[1]]} * (x - \text{med1}[[1]]) + \text{med1}[[2]];$$

```

```
In[192]:= medLine2[x_] := medLine1[x] - 
$$\frac{1}{3} * (\text{medLine1}[\text{med2}[[1]]] - \text{med2}[[2]])$$

```

```
In[193]:= medLine2[x]
```

```
Out[193]= 129.065 + 10.4478 (-1.6 + x)
```

```
In[194]:= Simplify[129.06467661691542` + 10.44776119402985` (-1.6` + x)]
```

```
Out[194]= 112.348 + 10.4478 x
```

Method 2:

```
In[195]:= medLine3[x_] := 
$$\frac{\text{med3}[[2]] - \text{med1}[[2]]}{\text{med3}[[1]] - \text{med1}[[1]]} * (x - \text{med2}[[1]]) + \text{med2}[[2]];$$

```

```
In[196]:= medLine4[x_] := 
$$\frac{\text{med3}[[2]] - \text{med1}[[2]]}{\text{med3}[[1]] - \text{med1}[[1]]} * x + \frac{1}{3} * (2 * \text{medLine1}[0] + \text{medLine3}[0]);$$

```

```
In[197]:= medLine4[x]
```


```
Out[197]= 112.348 + 10.4478 x
```

Median-Median Graph

```
plotc = ListPlot[{med1, med2, med3}, PlotStyle -> {Red, PointSize[0.02]}];
```

```
In[237]:= plotd = Plot[112.34825870646766` + 10.44776119402985` x,
  {x, 0, 15}, PlotRange -> {50, 240}, PlotLabel -> "Median-Median Line Plot"];
```

In[239]:= Show[plotd, plota, plotc]




Median-Median Residuals

```
In[201]:= twoRes = {points2[[1]][[2]] - medLine2[points2[[1]][[1]]],
  points2[[2]][[2]] - medLine2[points2[[2]][[1]]],
  points2[[3]][[2]] - medLine2[points2[[3]][[1]]],
  points2[[4]][[2]] - medLine2[points2[[4]][[1]]],
  points2[[5]][[2]] - medLine2[points2[[5]][[1]]],
  points2[[6]][[2]] - medLine2[points2[[6]][[1]]],
  points2[[7]][[2]] - medLine2[points2[[7]][[1]]],
  points2[[8]][[2]] - medLine2[points2[[8]][[1]]],
  points2[[9]][[2]] - medLine2[points2[[9]][[1]]]}
```

Out[201]= {-11.9303, 8.93532, 8.53234, -9.51244, -17.8706, 9.95025, -1.21393, 10.9353, -25.5423}

```
In[202]:= mm1list = Transpose[{index1, twoRes}];
```

```
In[225]:= mmRes = ListPlot[mmlist, PlotStyle -> Blue, PlotRange -> {-50, 20},
  PlotLabel -> "Median-Median Line Residuals", LabelStyle -> Gray, ImageSize -> Large]
```



```
In[204]:= Total[twoRes]
```

```
Out[204]= -27.7164
```

Sum of Least Squares Line

```
In[205]:= b = Sum[index[[i]] * deaths[[i]], {i, 1, 9}]
```

```
Out[205]= 7427.1
```

```
In[206]:= c = Sum[deaths[[i]], {i, 1, 9}]
```

```
Out[206]= 1417
```

```
In[207]:= d = Sum[index[[i]] * index[[i]], {i, 1, 9}]
```

```
Out[207]= 287.67
```

```
In[208]:= e = Sum[index[[i]], {i, 1, 9}]
```

```
Out[208]= 41.5
```

$$\text{In[209]:= mls} = \frac{(b * 9) - (c * e)}{(9 * d) - (e * e)}$$

Out[209]= 9.27386

$$\text{In[210]:= bls} = \frac{(c * d) - (b * e)}{(9 * d) - (e * e)}$$

Out[210]= 114.682

In[211]:= lsLine [x_] := mls * x + bls


In[212]:= lsLine[x]

Out[212]= 114.682 + 9.27386 x

Least Squares Plot

In[233]:= plote = Plot[lsLine[x], {x, 0, 15},
PlotRange -> {50, 240}, PlotLabel -> "Sum of Least Squares Line Plot";

In[234]:= Show[plote, plota]




Least Squares Residuals

```
In[215]:= threeRes = {points2[[1]][[2]] - lsLine[points2[[1]][[1]]],
  points2[[2]][[2]] - lsLine[points2[[2]][[1]]],
  points2[[3]][[2]] - lsLine[points2[[3]][[1]]],
  points2[[4]][[2]] - lsLine[points2[[4]][[1]]],
  points2[[5]][[2]] - lsLine[points2[[5]][[1]]],
  points2[[6]][[2]] - lsLine[points2[[6]][[1]]],
  points2[[7]][[2]] - lsLine[points2[[7]][[1]]],
  points2[[8]][[2]] - lsLine[points2[[8]][[1]]],
  points2[[9]][[2]] - lsLine[points2[[9]][[1]]]}
```

```
Out[215]= {-12.7376, 8.48019, 9.13371, -8.79367, -16.2128, 12.0777, 3.96564, 18.3453, -14.2585}
```

```
In[216]:= lslist = Transpose[{index1, threeRes}];
```

```
In[222]:= lsRes = ListPlot[lslist, PlotStyle -> Blue, PlotRange -> {-50, 20},
  PlotLabel -> "Sum of Least Squares Line Residuals", LabelStyle -> Gray, ImageSize -> Large]
```



```
In[218]:= Total[threeRes]
```

```
Out[218]= 1.84741 × 10-13
```

Comparison of the Residuals

```
In[248]:= GraphicsRow[{tpRes, mmRes, lsRes}, ImageSize -> Full]
```

