

WORCESTER CBC DATA SUMMARY

	Years	Hours
1952-1960	9	74.55
1961-1970	10	320.00
1971-1980	10	643.50
1981-1990	10	721.00
1991-2000	10	955.60
2001-2010	10	1003.25

Greater White-fronted Goose	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Snow Goose	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	3	3	0	1	0.0	0	0.004
1991-2000	3	2	1	1	0.0	0	0.002
2001-2010	2	1	1	3	0.0	0	0.003

Snow Goose (blue form)	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Canada Goose	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	3	3	0	56	0.0	0	0.228
1971-1980	10	10	0	625	296.5	39	4.379
1981-1990	10	10	0	1380	792.5	177	10.057
1991-2000	10	10	0	1471	825.5	496	9.012
2001-2010	10	10	0	3380	1098.5	362	14.181

Brant	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Mute Swan	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	5	5	0	7	1.5	0	0.031
2001-2010	10	10	0	33	15.5	6	0.157

Wood Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	3	3	0	1	0.0	0	0.009
1971-1980	4	4	0	6	0.0	0	0.017
1981-1990	3	3	0	4	0.0	0	0.010
1991-2000	6	5	1	3	1.0	0	0.009
2001-2010	8	8	0	11	4.0	0	0.043

Gadwall	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	3	3	0	7	0.0	0	0.031
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	4	4	0	4	0.0	0	0.012
1991-2000	6	6	0	12	1.0	0	0.032
2001-2010	6	6	0	4	1.0	0	0.013

American Wigeon	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	4	4	0	2	0.0	0	0.009
1981-1990	6	5	1	10	1.0	0	0.019
1991-2000	5	5	0	10	0.5	0	0.024
2001-2010	6	6	0	18	1.0	0	0.027

American Black Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	445	143.0	22	20.537
1961-1970	10	10	0	199	153.5	25	4.353
1971-1980	10	10	0	283	153.5	66	2.441
1981-1990	10	10	0	402	147.0	72	2.571
1991-2000	10	10	0	370	160.0	103	1.920
2001-2010	10	10	0	149	76.5	19	0.866

Mallard	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	215	63.0	6	10.557
1961-1970	10	10	0	567	300.5	37	9.069
1971-1980	10	10	0	858	387.0	196	6.729
1981-1990	10	10	0	999	596.5	330	8.981
1991-2000	10	10	0	1641	982.5	623	10.817
2001-2010	10	10	0	2289	1137.0	656	12.346

Blue-winged Teal	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Northern Shoveler	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	2	2	0	2	0.0	0	0.005
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	3	3	0	1	0.0	0	0.003
2001-2010	4	4	0	2	0.0	0	0.007

Northern Pintail	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	2	0.0	0	0.006
1971-1980	1	1	0	4	0.0	0	0.006
1981-1990	5	4	1	1	0.0	0	0.006
1991-2000	3	3	0	2	0.0	0	0.004
2001-2010	4	3	1	6	0.0	0	0.008

Green-winged Teal	Years	Counts	CW	High	Median	Low	per HR
1952-1960	3	3	0	1	0.0	0	0.040
1961-1970	1	1	0	3	0.0	0	0.009
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	3	2	1	1	0.0	0	0.003
1991-2000	7	5	2	2	1.0	0	0.006
2001-2010	5	5	0	25	0.5	0	0.033

Canvasback	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	2	2	0	8	0.0	0	0.023
1981-1990	2	1	1	6	0.0	0	0.008
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	3	0.0	0	0.003

Redhead	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	2	2	0	3	0.0	0	0.005

Ring-necked Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	6	0.0	0	0.121
1961-1970	1	1	0	4	0.0	0	0.013
1971-1980	3	2	1	2	0.0	0	0.005
1981-1990	5	5	0	22	0.5	0	0.043
1991-2000	7	6	1	281	1.0	0	0.512
2001-2010	8	8	0	81	8.0	0	0.275

Tufted Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	6	6	0	1	1.0	0	0.006
2001-2010	2	2	0	1	0.0	0	0.002

Greater Scaup	Years	Counts	CW	High	Median	Low	per HR
1952-1960	4	4	0	2	0.0	0	0.067
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	5	5	0	5	0.5	0	0.022
1981-1990	9	9	0	41	14.0	0	0.196
1991-2000	7	7	0	42	16.5	0	0.186
2001-2010	10	8	2	75	36.5	7	0.273

Lesser Scaup	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	2	0.0	0	0.003
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	3	3	0	5	0.0	0	0.007
2001-2010	8	6	2	4	1.5	0	0.013

"Scaup" species	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Surf Scoter	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

White-winged Scoter	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	4	0.0	0	0.013
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	0	1	0	0.0	0	0.000

Black Scoter	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Long-tailed Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	2	0.0	0	0.002

Bufflehead	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	3	0.0	0	0.009
1971-1980	3	3	0	8	0.0	0	0.020
1981-1990	2	2	0	11	0.0	0	0.019
1991-2000	7	6	1	12	1.0	0	0.021
2001-2010	6	6	0	9	3.0	0	0.029

Common Goldeneye	Years	Counts	CW	High	Median	Low	per HR
1952-1960	8	8	0	14	4.0	0	0.711
1961-1970	6	6	0	9	1.0	0	0.075
1971-1980	10	10	0	54	14.0	4	0.249
1981-1990	10	10	0	67	27.0	4	0.412
1991-2000	10	10	0	135	67.0	24	0.787
2001-2010	10	10	0	156	106.0	74	1.093

Barrow's Goldeneye	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	2	2	0	4	0.0	0	0.005

"Goldeneye" species	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Hooded Merganser	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	6	0.0	0	0.148
1961-1970	7	7	0	15	1.5	0	0.131
1971-1980	5	5	0	11	0.5	0	0.045
1981-1990	9	9	0	38	6.5	0	0.200
1991-2000	10	10	0	199	65.0	20	0.931
2001-2010	10	10	0	334	134.5	38	1.587

Common Merganser	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	112	45.0	32	6.224
1961-1970	6	6	0	27	4.0	0	0.272
1971-1980	10	10	0	307	30.0	10	0.869
1981-1990	10	10	0	258	69.0	18	1.114
1991-2000	10	10	0	182	89.0	24	1.049
2001-2010	10	10	0	259	62.0	17	1.055

Red-breasted Merganser	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	3	3	0	2	0.0	0	0.006
1991-2000	4	4	0	3	0.0	0	0.006
2001-2010	1	1	0	4	0.0	0	0.004

Ruddy Duck	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	15	0.0	0	0.023
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	3	3	0	57	0.0	0	0.074
2001-2010	6	6	0	4	1.0	0	0.016

Ring-necked Pheasant	Years	Counts	CW	High	Median	Low	per HR
1952-1960	6	6	0	8	5.0	0	0.483
1961-1970	10	10	0	57	11.5	1	0.509
1971-1980	10	10	0	23	14.5	4	0.208
1981-1990	9	9	0	26	2.5	0	0.068
1991-2000	7	6	1	5	1.0	0	0.016
2001-2010	1	1	0	1	0.0	0	0.001

Ruffed Grouse	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	1	0.0	0	0.027
1961-1970	8	8	0	4	1.0	0	0.047
1971-1980	10	10	0	9	3.0	1	0.056
1981-1990	10	10	0	16	3.5	1	0.069
1991-2000	10	10	0	8	5.0	1	0.044
2001-2010	5	5	0	6	0.5	0	0.014

Wild Turkey	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	2	2	0	49	0.0	0	0.074
1991-2000	8	8	0	63	18.0	0	0.252
2001-2010	10	10	0	136	47.0	15	0.559

Northern Bobwhite	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	2	0.0	0	0.006
1971-1980	2	2	0	5	0.0	0	0.009
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Red-throated Loon	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	2	2	0	1	0.0	0	0.002

Common Loon	Years	Counts	CW	High	Median	Low	per HR
1952-1960	3	3	0	3	0.0	0	0.067
1961-1970	2	2	0	3	0.0	0	0.016
1971-1980	6	5	1	2	1.0	0	0.014
1981-1990	9	9	0	10	3.5	0	0.047
1991-2000	10	10	0	9	6.0	1	0.064
2001-2010	10	10	0	12	7.0	1	0.070

Pied-billed Grebe	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	2	2	0	2	0.0	0	0.013
1971-1980	7	7	0	4	1.0	0	0.020
1981-1990	5	4	1	2	0.0	0	0.010
1991-2000	2	2	0	1	0.0	0	0.002
2001-2010	3	3	0	1	0.0	0	0.003

Horned Grebe	Years	Counts	CW	High	Median	Low	per HR
1952-1960	3	3	0	1	0.0	0	0.040
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	7	7	0	8	1.0	0	0.045
1981-1990	9	9	0	12	4.5	0	0.062
1991-2000	9	9	0	24	4.5	0	0.066
2001-2010	7	7	0	13	1.5	0	0.037

Red-necked Grebe	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	0	1	0	0.0	0	0.000
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	2	2	0	2	0.0	0	0.003
2001-2010	3	2	1	2	0.0	0	0.004

Double-crested Cormorant	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	6	5	1	1	1.0	0	0.005
2001-2010	7	6	1	3	1.0	0	0.010

Great Cormorant	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	2	0.0	0	0.003
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	3	2	1	1	0.0	0	0.002

Great Blue Heron	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	2	2	0	1	0.0	0	0.003
1981-1990	8	8	0	6	1.5	0	0.029
1991-2000	10	10	0	14	4.5	3	0.057
2001-2010	10	10	0	15	2.5	2	0.047

Great Egret	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Black-crowned Night-Heron	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	2	0.0	0	0.040
1961-1970	5	5	0	3	1.0	0	0.034
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	2	2	0	1	0.0	0	0.002

Bald Eagle	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	2	0	2	0	0.0	0	0.000
1991-2000	4	4	0	2	0.0	0	0.007
2001-2010	10	9	1	5	2.0	1	0.022

Northern Harrier	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	0	1	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	4	4	0	3	0.0	0	0.008

Sharp-shinned Hawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	6	5	1	3	1.0	0	0.014
1981-1990	9	9	0	5	1.5	0	0.028
1991-2000	10	10	0	6	3.5	1	0.035
2001-2010	10	10	0	6	3.5	1	0.032

Cooper's Hawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	9	9	0	7	2.0	0	0.027
2001-2010	10	10	0	7	4.5	2	0.046

Northern Goshawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	3	0	2	0.0	0	0.006
1981-1990	3	3	0	2	0.0	0	0.006
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

"Accipiter" Species	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	3	3	0	1	0.0	0	0.003

Red-shouldered Hawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	1	1	0	2	0.0	0	0.003
1981-1990	1	1	0	2	0.0	0	0.003
1991-2000	2	2	0	1	0.0	0	0.002
2001-2010	2	2	0	1	0.0	0	0.002

Red-tailed Hawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	6	6	0	5	1.0	0	0.047
1971-1980	10	10	0	23	10.0	3	0.168
1981-1990	10	10	0	29	15.0	7	0.226
1991-2000	10	10	0	49	33.0	22	0.354
2001-2010	10	10	0	65	47.0	8	0.455

Rough-legged Hawk	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	2	1	1	0.0	0	0.003
1981-1990	3	3	0	2	0.0	0	0.006
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	3	3	0	1	0.0	0	0.003

"Buteo" species	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

American Kestrel	Years	Counts	CW	High	Median	Low	per HR
1952-1960	4	4	0	2	0.0	0	0.067
1961-1970	6	6	0	5	1.0	0	0.050
1971-1980	10	10	0	8	3.5	2	0.067
1981-1990	9	9	0	12	2.0	0	0.047
1991-2000	6	5	1	3	1.0	0	0.010
2001-2010	2	2	0	2	0.0	0	0.003

Merlin	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	4	3	1	1	0.0	0	0.003
2001-2010	4	4	0	1	0.0	0	0.004

Peregrine Falcon	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	4	3	1	1	0.0	0	0.003
2001-2010	9	7	2	3	1.0	0	0.011

American Coot	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	2	2	0	2	0.0	0	0.009
1971-1980	4	4	0	15	0.0	0	0.045
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	6	6	0	39	3.0	0	0.100
2001-2010	6	5	1	11	1.0	0	0.020

Killdeer	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Wilson's Snipe	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	3	0	2	0.0	0	0.006
1981-1990	6	6	0	2	1.0	0	0.012
1991-2000	6	6	0	1	1.0	0	0.006
2001-2010	2	2	0	2	0.0	0	0.003

American Woodcock	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Ring-billed Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	6	6	0	27	2.0	0	0.090
1981-1990	10	10	0	990	269.0	63	4.462
1991-2000	10	10	0	2780	985.0	598	12.293
2001-2010	10	10	0	4316	2467.0	219	26.354

Herring Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	193	80.0	8	10.154
1961-1970	10	10	0	240	83.5	11	3.038
1971-1980	10	10	0	2195	676.5	226	12.701
1981-1990	10	10	0	14458	2728.5	883	53.490
1991-2000	10	10	0	2201	449.0	168	8.362
2001-2010	10	10	0	4060	461.0	11	8.878

Iceland Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	3	0	3	0.0	0	0.008
1981-1990	5	5	0	5	0.5	0	0.014
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	3	2	1	1	0.0	0	0.002

Lesser Black-backed Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Glaucous Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	2	2	0	2	0.0	0	0.006
1981-1990	4	4	0	2	0.0	0	0.007
1991-2000	3	2	1	1	0.0	0	0.002
2001-2010	1	0	1	0	0.0	0	0.000

Great Black-backed Gull	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	7	7	0	9	2.0	0	0.069
1971-1980	10	10	0	140	25.0	3	0.674
1981-1990	10	10	0	2938	502.0	193	10.462
1991-2000	10	10	0	1208	230.0	27	3.236
2001-2010	10	10	0	726	53.0	3	2.183

Rock Pigeon	Years	Counts	CW	High	Median	Low	per HR
1952-1960	6	6	0	35	12.0	0	1.583
1961-1970	1	1		40			
1971-1980	7	7		685			
1981-1990	10	10	0	718	444.0	311	6.515
1991-2000	10	10	0	1072	660.0	414	7.594
2001-2010	10	10	0	1392	880.0	265	8.878

Not Counted
1963-1973

Mourning Dove	Years	Counts	CW	High	Median	Low	per HR
1952-1960	6	6	0	12	4.0	0	0.443
1961-1970	7	7	0	52	1.0	0	0.466
1971-1980	10	10	0	417	108.5	44	2.688
1981-1990	10	10	0	478	261.5	237	4.286
1991-2000	10	10	0	503	417.0	234	4.083
2001-2010	10	10	0	476	259.0	114	2.829

Eastern Screech-Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	4	4	0	2	0.0	0	0.008
1981-1990	7	5	2	7	1.0	0	0.015
1991-2000	10	10	0	11	5.5	2	0.058
2001-2010	10	10	0	12	5.0	1	0.056

Great Horned Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	7	7	0	4	1.0	0	0.020
1981-1990	8	8	0	7	1.5	0	0.032
1991-2000	9	9	0	6	2.5	0	0.029
2001-2010	9	9	0	13	6.0	0	0.064

Snowy Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	0	1	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Barred Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	3	3	0	1	0.0	0	0.005
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	5	5	0	3	0.5	0	0.009
2001-2010	9	9	0	5	1.5	0	0.018

Long-eared Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Short-eared Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Northern Saw-whet Owl	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	2	2	0	2	0.0	0	0.003
2001-2010	8	8	0	4	2.0	0	0.017

small "owl" species	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Rufous Hummingbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Belted Kingfisher	Years	Counts	CW	High	Median	Low	per HR
1952-1960	3	3	0	1	0.0	0	0.040
1961-1970	6	6	0	2	1.0	0	0.025
1971-1980	9	9	0	5	2.0	0	0.036
1981-1990	7	7	0	8	2.5	0	0.033
1991-2000	10	10	0	12	5.5	4	0.067
2001-2010	10	10	0	9	5.5	2	0.052

Red-headed Woodpecker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Red-bellied Woodpecker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	3	2	1	1	0.0	0	0.003
1991-2000	9	8	1	23	5.0	0	0.057
2001-2010	10	10	0	50	26.5	9	0.275

Yellow-bellied Sapsucker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	6	6	0	3	1.0	0	0.009

Downy Woodpecker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	8	8	0	5	1.0	0	0.228
1961-1970	9	9	0	32	8.5	0	0.406
1971-1980	10	10	0	69	46.5	24	0.715
1981-1990	10	10	0	105	61.5	50	0.926
1991-2000	10	10	0	134	105.5	35	1.037
2001-2010	10	10	0	188	130.5	57	1.232

Hairy Woodpecker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	1	0.0	0	0.027
1961-1970	9	9	0	15	4.0	0	0.178
1971-1980	10	10	0	26	16.0	10	0.266
1981-1990	10	10	0	19	11.0	8	0.168
1991-2000	10	10	0	27	20.0	11	0.206
2001-2010	10	10	0	38	19.0	10	0.211

Northern Flicker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	5	5	0	3	0.5	0	0.012
1981-1990	7	6	1	7	1.0	0	0.022
1991-2000	10	10	0	11	5.5	1	0.057
2001-2010	10	10	0	14	7.0	1	0.070

Pileated Woodpecker	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	4	4	0	1	0.0	0	0.006
1981-1990	5	5	0	5	0.5	0	0.018
1991-2000	8	8	0	3	1.0	0	0.015
2001-2010	9	9	0	6	2.0	0	0.025

Northern Shrike	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	3	0	2	0.0	0	0.006
1981-1990	6	6	0	2	1.0	0	0.011
1991-2000	3	3	0	8	0.0	0	0.015
2001-2010	2	2	0	2	0.0	0	0.003

Blue Jay	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	21	11.0	5	1.476
1961-1970	10	10	0	512	209.5	9	6.644
1971-1980	10	10	0	666	404.5	94	6.626
1981-1990	10	10	0	611	465.5	56	5.215
1991-2000	10	10	0	737	463.5	223	4.734
2001-2010	10	10	0	872	475.5	102	5.119

American Crow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	65	10.0	3	1.797
1961-1970	10	10	0	103	44.0	9	1.428
1971-1980	10	10	0	361	169.0	62	2.920
1981-1990	10	10	0	555	361.0	240	5.323
1991-2000	10	10	0	2065	828.0	472	10.740
2001-2010	10	10	0	2814	938.0	330	12.025

Fish Crow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	1	0	1	0	0.0	0	0.000
2001-2010	1	0	1	0	0.0	0	0.000

Common Raven	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	8	7	1	4	2.0	0	0.017
2001-2010	9	9	0	5	2.0	0	0.025

Horned Lark	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	7	7	0	65	11.5	0	0.625
1971-1980	3	3	0	33	0.0	0	0.082
1981-1990	7	7	0	21	4.5	0	0.100
1991-2000	7	7	0	33	4.5	0	0.090
2001-2010	10	10	0	117	48.5	12	0.522

Black-capped Chickadee	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	20	14.0	2	1.569
1961-1970	10	10	0	267	121.5	11	3.797
1971-1980	10	10	0	704	475.0	120	7.207
1981-1990	10	10	0	834	725.0	495	9.849
1991-2000	10	10	0	1239	781.0	597	8.499
2001-2010	10	10	0	1366	984.0	349	9.538

Boreal Chickadee	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	3	3	0	5	0.0	0	0.031
1971-1980	3	3	0	1	0.0	0	0.005
1981-1990	2	2	0	3	0.0	0	0.006
1991-2000	1	1	0	2	0.0	0	0.002
2001-2010	0	0	0	0	0.0	0	0.000

Tufted Titmouse	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	2	0.0	0	0.027
1961-1970	7	7	0	20	2.0	0	0.159
1971-1980	10	10	0	138	48.5	17	0.895
1981-1990	10	10	0	220	149.0	94	2.075
1991-2000	10	10	0	278	206.5	127	2.192
2001-2010	10	10	0	377	324.0	117	2.973

Red-breasted Nuthatch	Years	Counts	CW	High	Median	Low	per HR
1952-1960	4	4	0	1	0.0	0	0.054
1961-1970	6	6	0	13	2.5	0	0.122
1971-1980	10	10	0	158	12.5	6	0.438
1981-1990	10	10	0	115	19.5	5	0.355
1991-2000	10	10	0	165	15.5	3	0.298
2001-2010	9	9	0	92	12.5	0	0.234

White-breasted Nuthatch	Years	Counts	CW	High	Median	Low	per HR
1952-1960	8	8	0	5	1.0	0	0.215
1961-1970	10	10	0	37	15.5	1	0.547
1971-1980	10	10	0	112	56.5	34	0.987
1981-1990	10	10	0	141	92.0	68	1.347
1991-2000	10	10	0	222	156.5	83	1.556
2001-2010	10	10	0	280	222.0	40	2.064

Brown Creeper	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	2	0.0	0	0.040
1961-1970	9	9	0	8	4.0	0	0.128
1971-1980	10	10	0	15	6.0	1	0.120
1981-1990	10	10	0	22	13.0	4	0.191
1991-2000	10	10	0	35	9.5	5	0.145
2001-2010	9	9	0	25	16.0	0	0.151

Carolina Wren	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	2	2	0	2	0.0	0	0.005
1981-1990	6	5	1	5	1.0	0	0.015
1991-2000	10	10	0	13	7.5	3	0.082
2001-2010	10	10	0	31	18.5	4	0.182

House Wren	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Winter Wren	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	4	4	0	3	0.0	0	0.012
1981-1990	3	3	0	1	0.0	0	0.004
1991-2000	5	5	0	3	0.5	0	0.008
2001-2010	7	7	0	4	1.0	0	0.015

Marsh Wren	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Golden-crowned Kinglet	Years	Counts	CW	High	Median	Low	per HR
1952-1960	3	3	0	1	0.0	0	0.040
1961-1970	6	6	0	21	1.0	0	0.156
1971-1980	10	10	0	67	11.5	4	0.264
1981-1990	10	10	0	37	19.0	3	0.259
1991-2000	10	10	0	89	19.0	4	0.290
2001-2010	10	10	0	59	23.0	3	0.286

Ruby-crowned Kinglet	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	2	2	0	1	0.0	0	0.003
1981-1990	4	4	0	1	0.0	0	0.006
1991-2000	4	3	1	2	0.0	0	0.005
2001-2010	5	4	1	2	0.0	0	0.005

Eastern Bluebird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	2	0.0	0	0.003
1991-2000	9	8	1	44	9.0	0	0.126
2001-2010	10	10	0	58	32.5	6	0.330

Swainson's Thrush	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	0	1	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Hermit Thrush	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	2	0.0	0	0.006
1971-1980	5	5	0	9	0.5	0	0.020
1981-1990	3	3	0	2	0.0	0	0.006
1991-2000	4	4	0	3	0.0	0	0.008
2001-2010	10	10	0	6	3.0	1	0.031

American Robin	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	6	6	0	17	1.5	0	0.097
1971-1980	10	10	0	457	22.5	1	1.047
1981-1990	10	10	0	14	6.0	1	0.090
1991-2000	10	10	0	467	63.5	8	1.240
2001-2010	10	10	0	2255	311.0	33	5.790

Gray Catbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	3	3	0	3	0.0	0	0.008
1981-1990	3	3	0	3	0.0	0	0.007
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	3	3	0	1	0.0	0	0.003

Northern Mockingbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	2	2	0	2	0.0	0	0.009
1971-1980	10	10	0	43	15.0	2	0.256
1981-1990	10	10	0	59	31.0	20	0.462
1991-2000	10	10	0	75	56.0	36	0.598
2001-2010	10	10	0	53	36.0	16	0.369

Brown Thrasher	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

European Starling	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	1000	58.0	15	19.329
1961-1970	10	10	0	2403	647.0	90	24.447
1971-1980	10	10	0	8902	1816.0	1036	39.823
1981-1990	10	10	0	4392	1748.5	1070	30.451
1991-2000	10	10	0	23358	3945.0	2167	74.214
2001-2010	10	10	0	2906	2372.0	564	21.533

American Pipit	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Bohemian Waxwing	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	2	0.0	0	0.002

Cedar Waxwing	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	40	0.0	0	0.805
1961-1970	4	4	0	43	0.0	0	0.244
1971-1980	6	6	0	56	4.0	0	0.185
1981-1990	10	10	0	97	20.0	1	0.416
1991-2000	10	10	0	1272	269.0	145	3.690
2001-2010	10	10	0	354	176.0	5	1.830

Orange-crowned Warbler	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Yellow-rumped Warbler	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	4	4	0	6	0.0	0	0.022
1981-1990	6	6	0	7	1.0	0	0.021
1991-2000	2	2	0	2	0.0	0	0.003
2001-2010	5	5	0	1	0.5	0	0.005

Palm Warbler	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	1	1	0	1	0.0	0	0.001
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Ovenbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	0	1	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Common Yellowthroat	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	0	1	0	0.0	0	0.000

Eastern Towhee	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	2	2	0	2	0.0	0	0.009
1971-1980	5	3	2	3	0.0	0	0.008
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	4	4	0	2	0.0	0	0.005
2001-2010	2	2	0	2	0.0	0	0.003

American Tree Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	7	7	0	22	5.0	0	0.791
1961-1970	10	10	0	154	48.0	1	1.925
1971-1980	10	10	0	266	120.0	62	2.117
1981-1990	10	10	0	394	185.5	120	3.033
1991-2000	10	10	0	288	215.0	104	2.167
2001-2010	10	10	0	319	131.0	74	1.382

Chipping Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	0	1	0	0.0	0	0.000
1981-1990	2	1	1	1	0.0	0	0.001
1991-2000	2	2	0	2	0.0	0	0.003
2001-2010	3	2	1	1	0.0	0	0.002

Field Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	10	0.0	0	0.174
1961-1970	3	3	0	6	0.0	0	0.025
1971-1980	8	6	2	46	7.0	0	0.124
1981-1990	10	10	0	18	4.0	2	0.086
1991-2000	9	9	0	9	2.0	0	0.032
2001-2010	10	10	0	13	4.0	1	0.045

Savannah Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	1	0	6	0.0	0	0.008
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	5	5	0	2	0.5	0	0.006

Fox Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	3	3	0	3	0.0	0	0.019
1971-1980	5	5	0	7	0.5	0	0.022
1981-1990	2	1	1	1	0.0	0	0.001
1991-2000	4	4	0	27	0.0	0	0.031
2001-2010	5	3	2	2	0.0	0	0.004

Song Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	8	8	0	5	1.0	0	0.201
1961-1970	8	8	0	24	4.5	0	0.238
1971-1980	10	10	0	81	29.0	12	0.600
1981-1990	10	10	0	81	49.5	26	0.789
1991-2000	10	10	0	86	67.0	37	0.665
2001-2010	10	10	0	113	61.0	49	0.647

Lincoln's Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Swamp Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	8	8	0	5	1.0	0	0.023
1981-1990	7	7	0	6	1.5	0	0.029
1991-2000	7	6	1	5	2.0	0	0.020
2001-2010	6	6	0	5	1.5	0	0.018

White-throated Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	4	4	0	2	0.0	0	0.094
1961-1970	8	8	0	34	5.0	0	0.294
1971-1980	10	10	0	349	43.5	11	1.117
1981-1990	10	10	0	70	37.0	8	0.494
1991-2000	10	10	0	288	28.0	11	0.700
2001-2010	10	10	0	214	83.0	39	1.082

White-crowned Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	3	2	1	2	0.0	0	0.005
1981-1990	4	4	0	2	0.0	0	0.007
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	3	3	0	1	0.0	0	0.003

Dark-eyed Junco	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	18	6.0	3	0.993
1961-1970	10	10	0	351	64.0	2	3.028
1971-1980	10	10	0	445	294.5	97	4.051
1981-1990	10	10	0	785	360.5	136	5.031
1991-2000	10	10	0	2493	479.5	190	7.068
2001-2010	10	10	0	2093	642.0	433	7.685

Dark-eyed (Oregon) Junco	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Snow Bunting	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	4	4	0	250	0.0	0	1.006
1971-1980	5	5	0	51	1.5	0	0.168
1981-1990	5	4	1	9	0.0	0	0.019
1991-2000	2	2	0	1	0.0	0	0.002
2001-2010	8	7	1	117	6.0	0	0.226

Northern Cardinal	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	1	0.0	0	0.027
1961-1970	10	10	0	16	3.0	1	0.191
1971-1980	10	10	0	51	42.0	18	0.580
1981-1990	10	10	0	114	59.5	33	0.824
1991-2000	10	10	0	105	87.5	72	0.922
2001-2010	10	10	0	215	165.0	84	1.590

Rose-breasted Grosbeak	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	0	0	0	0	0.0	0	0.000
2001-2010	1	1	0	1	0.0	0	0.001

Dickcissel	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	1	0.0	0	0.003
1971-1980	1	1	0	1	0.0	0	0.002
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	0	1	0	0.0	0	0.000
2001-2010	0	0	0	0	0.0	0	0.000

Red-winged Blackbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	2	0.0	0	0.006
1971-1980	6	6	0	19	1.0	0	0.054
1981-1990	4	4	0	5	0.0	0	0.015
1991-2000	7	7	0	70	2.5	0	0.096
2001-2010	8	8	0	147	6.5	0	0.226

Eastern Meadowlark	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	2	2	0	1	0.0	0	0.006
1971-1980	2	2	0	3	0.0	0	0.009
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	3	3	0	3	0.0	0	0.006

Rusty Blackbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	1	1	0	6	0.0	0	0.009
1981-1990	2	2	0	1	0.0	0	0.003
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	3	3	0	11	0.0	0	0.013

Common Grackle	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	3	3	0	10	0.0	0	0.053
1971-1980	9	9	0	30	1.5	0	0.084
1981-1990	6	6	0	14	2.0	0	0.044
1991-2000	7	7	0	66	1.0	0	0.081
2001-2010	8	8	0	3	1.0	0	0.013

Brown-headed Cowbird	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	4	0.0	0	0.054
1961-1970	8	8	0	319	50.0	0	3.063
1971-1980	8	8	0	292	31.0	0	1.175
1981-1990	5	5	0	169	1.0	0	0.395
1991-2000	7	7	0	35	11.0	0	0.150
2001-2010	2	2	0	24	0.0	0	0.025

Bullock's Oriole	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	0	0	0	0	0.0	0	0.000
1981-1990	1	0	1	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	0	0	0	0	0.0	0	0.000

Baltimore Oriole	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	1	0.0	0	0.013
1961-1970	2	2	0	1	0.0	0	0.006
1971-1980	6	5	1	1	1.0	0	0.008
1981-1990	0	0	0	0	0.0	0	0.000
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	1	1	0	1	0.0	0	0.001

Pine Grosbeak	Years	Counts	CW	High	Median	Low	per HR
1952-1960	2	2	0	7	0.0	0	0.174
1961-1970	4	4	0	50	0.0	0	0.275
1971-1980	5	5	0	69	0.5	0	0.166
1981-1990	3	2	1	54	0.0	0	0.119
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	2	2	0	103	0.0	0	0.104

Purple Finch	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	2	0.0	0	0.027
1961-1970	4	4	0	13	0.0	0	0.091
1971-1980	9	9	0	49	5.5	0	0.145
1981-1990	7	7	0	64	3.0	0	0.135
1991-2000	7	7	0	41	1.5	0	0.073
2001-2010	4	4	0	47	0.0	0	0.056

House Finch	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	0	0	0	0	0.0	0	0.000
1971-1980	9	9	0	116	39.5	0	0.696
1981-1990	10	10	0	582	311.5	48	4.528
1991-2000	10	10	0	1194	260.0	154	4.186
2001-2010	10	10	0	291	169.0	45	1.549

Red Crossbill	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	75	0.0	0	0.234
1971-1980	4	4	0	30	0.0	0	0.057
1981-1990	1	1	0	2	0.0	0	0.003
1991-2000	1	1	0	1	0.0	0	0.001
2001-2010	2	2	0	3	0.0	0	0.005

White-winged Crossbill	Years	Counts	CW	High	Median	Low	per HR
1952-1960	0	0	0	0	0.0	0	0.000
1961-1970	1	1	0	6	0.0	0	0.019
1971-1980	1	1	0	119	0.0	0	0.185
1981-1990	2	1	1	5	0.0	0	0.007
1991-2000	2	2	0	12	0.0	0	0.018
2001-2010	0	0	0	0	0.0	0	0.000

Common Redpoll	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	8	0.0	0	0.107
1961-1970	3	3	0	49	0.0	0	0.228
1971-1980	3	3	0	155	0.0	0	0.398
1981-1990	3	3	0	97	0.0	0	0.237
1991-2000	4	4	0	388	0.0	0	0.764
2001-2010	6	6	0	332	2.0	0	0.427

Pine Siskin	Years	Counts	CW	High	Median	Low	per HR
1952-1960	1	1	0	30	0.0	0	0.402
1961-1970	2	2	0	31	0.0	0	0.103
1971-1980	7	7	0	134	7.5	0	0.410
1981-1990	7	7	0	43	2.5	0	0.150
1991-2000	5	4	1	22	0.0	0	0.035
2001-2010	4	4	0	22	0.0	0	0.039

American Goldfinch	Years	Counts	CW	High	Median	Low	per HR
1952-1960	6	6	0	60	3.0	0	1.382
1961-1970	10	10	0	88	19.5	3	1.069
1971-1980	10	10	0	208	118.0	51	1.750
1981-1990	10	10	0	213	128.5	58	1.852
1991-2000	10	10	0	616	258.5	75	3.050
2001-2010	10	10	0	567	312.0	175	3.331

Evening Grosbeak	Years	Counts	CW	High	Median	Low	per HR
1952-1960	6	6	0	45	4.0	0	1.382
1961-1970	8	8	0	634	40.0	0	3.859
1971-1980	10	10	0	637	249.5	51	4.106
1981-1990	10	10	0	262	108.5	1	1.649
1991-2000	2	2	0	28	0.0	0	0.055
2001-2010	2	2	0	5	0.0	0	0.007

House Sparrow	Years	Counts	CW	High	Median	Low	per HR
1952-1960	9	9	0	60	25.0	10	3.568
1961-1970	10	10	0	639	395.0	14	9.528
1971-1980	10	10	0	647	464.0	292	7.103
1981-1990	10	10	0	759	556.5	371	7.680
1991-2000	10	10	0	1161	872.5	434	8.893
2001-2010	10	10	0	1593	1012.5	321	10.295

NOTES:

Mandarin Duck - recorded in 1994 and 1995

Rose-ringed Parakeet - recorded during count week in 1974

Budgerigar - recorded in 1990

Green Heron - record not accepted by National Audubon in 1978

Ovenbird - record not accepted by National Audubon in 1976

Double-crested Cormorant - injured bird (not able to fly) found in 1968

Rock Pigeon - not counted as wild bird from 1963 to 1973