

References

- Amami, R., Ibrahim, K., Sher, F., Milham, P., Ghazouani, H., Chehaibi, S., Hussain, Z., & Iqbal, H. M. N. (2021). Impacts of different tillage practices on soil water infiltration for sustainable agriculture. *Sustainability*, *13*(6), 3155. <https://doi.org/10.3390/su13063155>
- Dekker, L. W., Ritsema, C. J., Oostindie, K., Moore, D., & Wesseling, J. G. (2009). Methods for determining soil water repellency on field-moist samples. *Water Resources Research*, *45*(4). <https://doi.org/10.1029/2008wr007070>
- Farid, A., Alam, M. K., Siva, V., Akin, I. D., Akinleye, T., Chen, X., Cheng, Q., Cleall, P., Cuomo, S., Foresta, V., Ge, S., Iervolino, L., Iradukunda, P., Luce, C. H., Koda, E., Mickovski, S. B., O'Kelly, B. C., Paleologos, E. K., Peduto, D., & Ricketts, E. J. (2024). A review of the occurrence and causes for wildfires and their impacts on the geoenvironment. *Fire*, *7*(8), 295–295. <https://doi.org/10.3390/fire7080295>
- Fink, D. H., Cooley K. R., & Frasier, G. W. (1973). Wax-treated soils for harvesting water. *Journal of Range Management*, *26*(6), 396-398. <https://doi.org/10.2307/3896970>
- Kabir, H., Wu, J., Dahal, S., Joo, T., & Garg, N. (2024). Automated estimation of cementitious sorptivity via computer vision. *Nature communications*, *15*(1), 9935. <https://doi.org/10.1038/s41467-024-53993-w>
- Leelamanie, D. A. L., Karube, J., & Yoshida, A. (2008). Characterizing water repellency indices: Contact angle and water drop penetration time of hydrophobized sand. *Soil Science and Plant Nutrition*, *54*(2), 179–187. <https://doi.org/10.1111/j.1747-0765.2007.00232.x>
- Li, Q., Ahn, S., Kim, T., & Im, S. (2021). Post-fire impacts of vegetation burning on soil properties and water repellency in a pine forest, South Korea. *Forests*, *12*(6), 708. <https://doi.org/10.3390/f12060708>

- Ma, W., McKlin, H., Chan, R., Kim, C., DePoint-Spang, T., & Tomac, I. (2025). Post-wildfire soil hydrophobicity and slope erosion remediation by applying environmentally friendly modifiers. *Geomechanics for Energy and the Environment*, 44, 100740.
<https://doi.org/10.1016/j.gete.2025.100740>
- MacCarthy, J., Tyukavina, S., Weisse, M., Harris, N., & Richter, J. (2024). *New Data Confirms: Forest Fires Are Getting Worse*. World Resources Institute. <https://www.wri.org/insights/global-trends-forest-fires>
- Nanoscience Instruments. *What Probe Liquid Should You Use for Contact Angle Measurements?*. (2024, February 7). Nanoscience Instruments. <https://www.nanoscience.com/blogs/what-probe-liquid-should-you-use-for-contact-angle-measurements/>
- Prakash, M. (2025). *The dropbot: Design and development of a custom drone for precision water drop penetration time (WDPT) testing*. OASIS. <https://oasis.library.unlv.edu/thesisdissertations/5396/>
- Rhoades, C. C., Fornwalt, P. J., Paschke, M. W., Shanklin, A., & Jonas, J. L. (2015). Recovery of small pile burn scars in conifer forests of the Colorado Front Range. *Forest Ecology and Management*, 347, 180–187. <https://doi.org/10.1016/j.foreco.2015.03.026>
- Robichaud, P. R., Lewis, S. A., & Ashmun, L. E. (2008). *New Procedure for Sampling Infiltration to Assess Post-fire Soil Water Repellency*. USDA Forest Service.
https://www.researchgate.net/publication/265199618_New_Procedure_for_Sampling_Infiltration_to_Assess_Post-fire_Soil_Water_Repellency
- Šimon, T., Javůrek, M., Mikanová, O., & Vach, M. (2009). The influence of tillage systems on soil organic matter and soil hydrophobicity. *Soil and Tillage Research*, 105(1), 44–48.
<https://doi.org/10.1016/j.still.2009.05.004>

Vinokurova, A. S., Jaimes, T., & Sorto, C. (2022, August 18). *ReGenBot: Design of an autonomous robot to revitalize burnt soil in Southern American forests*. LACCEI 2022: Paper 475.

<https://laccei.org/LACCEI2022-BocaRaton/meta/SP475.html>

Wang, D., Regentova, E., Muthukumar, V., Berli, M., & Harris, F. C. (2024). A machine learning framework to measure Water Drop Penetration Time (WDPT) for soil water repellency analysis. *Machine Learning with Applications*, 18,

100595. <https://doi.org/10.1016/j.mlwa.2024.100595>