

This lecture will be recorded!

Welcome to

CS 3516:
Computer Networks

Prof. Yanhua Li

Time: 9:00am –9:50am M, T, R, and F

Zoom Lecture

Fall 2020 A-term

Chapter 2: outline

2.4 electronic mail

- SMTP,
- POP3


Electronic mail (Email)

Three major components:

- ❖ user agents
- ❖ mail servers
- ❖ simple mail transfer protocol: SMTP

User Agent (UA)


- ❖ a.k.a. “mail reader”
- ❖ composing, editing, reading mail messages
- ❖ e.g., Outlook, Thunderbird, iPhone mail client
- ❖ outgoing, incoming messages stored on server



Electronic mail: mail servers


mail servers:

- ❖ *mailbox* contains incoming messages for user
- ❖ *message queue* of outgoing (to be sent) mail messages
- ❖ *SMTP protocol* between mail servers to send email messages
 - **client**: sending mail server
 - **“server”**: receiving mail server



Scenario: Alice sends message to Bob

- 1) Alice uses UA to compose message "to" `bob@some school.edu`
- 2) Alice's UA sends message to her mail server; message placed in message queue
- 3) client side of SMTP opens TCP connection with Bob's mail server
- 4) SMTP client sends Alice's message over the TCP connection
- 5) Bob's mail server places the message in Bob's mailbox
- 6) Bob invokes his user agent to read message



Electronic Mail: SMTP [RFC 2821]

- ❖ **uses TCP** to reliably transfer email message from client to server, **port 25**
- ❖ **direct transfer**: sending server to receiving server
- ❖ **three phases of transfer**
 - handshaking (greeting)
 - transfer of messages
 - closure
- ❖ **command/response interaction (like HTTP)**
 - **commands**: ASCII text
 - **response**: status code and phrase

Sample SMTP interaction (messaging)

C: telnet servername 25	C	S
S: 220 hamburger.edu	Crepes.	Hambur
C: HELO crepes.fr	fr	ger.edu
S: 250 Hello crepes.fr, pleased to meet you		
C: MAIL FROM: <alice@crepes.fr>		
S: 250 alice@crepes.fr... Sender ok		
C: RCPT TO: <bob@hamburger.edu>		
S: 250 bob@hamburger.edu ... Recipient ok		
C: DATA		
S: 354 Enter mail, end with "." on a line by itself		
C: Do you like ketchup?		
C: How about pickles?		
C: .		
S: 250 Message accepted for delivery		
C: QUIT		
S: 221 hamburger.edu closing connection		

SMTP: final words

- ❖ SMTP uses persistent connections
- ❖ SMTP server uses CRLF.CRLF (Carriage Return (ASCII 13, \r) Line Feed (ASCII 10, \n))to determine end of message

comparison with HTTP: Both TCP

- ❖ both have ASCII command/response interaction, status codes
- ❖ HTTP: pull
- ❖ SMTP: push
- ❖ HTTP: each object encapsulated in its own response msg
- ❖ SMTP: multiple objects sent in a multipart msg

Mail message format

SMTP: protocol for exchanging email msgs


RFC 822: standard for text message format:

❖ header lines, e.g.,


- To:
- From:
- Subject:

❖ Body: the “message”

- ASCII characters only



Mail access protocols



- ❖ **SMTP**: delivery/storage to receiver's server
- ❖ mail access protocol: retrieval from server
 - **POP**: Post Office Protocol [RFC 1939]: authorization, download
 - **IMAP**: Internet Mail Access Protocol [RFC 1730]: more features, including manipulation of stored msgs on server
 - **HTTP**: gmail, Hotmail, Yahoo! Mail, etc.

POP3 protocol

Port 110, via TCP connections

authorization phase

- ❖ client commands:
 - **user**: declare username
 - **pass**: password
- ❖ server responses
 - **+OK**
 - **-ERR**

transaction phase, client:

- ❖ **list**: list message numbers
- ❖ **retr**: retrieve message by number
- ❖ **dele**: delete
- ❖ **quit**

```
S: +OK POP3 server ready
C: user bob
S: +OK
C: pass hungry
S: +OK user successfully logged on
```

```
C: list
S: 1 498
S: 2 912
S: .
C: retr 1
S: <message 1 contents>
S: .
C: dele 1
C: retr 2
S: <message 1 contents>
S: .
C: dele 2
C: quit
S: +OK POP3 server signing off
```

POP3 (more) and IMAP

more about POP3

- ❖ previous example uses POP3 “**download and delete**” mode
 - Bob cannot re-read e-mail if he changes client
- ❖ POP3 “**download-and-keep**”: copies of messages on different clients
- ❖ POP3 is **stateless** across sessions

IMAP

- ❖ keeps all messages in one place: at server
- ❖ allows user to organize messages in folders
- ❖ **Stateful**: keeps user state across sessions:
 - names of folders and mappings between message IDs and folder name

Questions?